



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

PIEDMONT REGIONAL OFFICE

4949-A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

www.deq.virginia.gov

Preston Bryant
Secretary of Natural Resources

David K. Paylor
Director

August 19, 2009

Kathy Milstid, Project Manager
IMTT-Virginia Richmond East
2801 S. Military Hwy.
Chesapeake, VA 23323

CERTIFIED MAIL

RETURN RECEIPT REQUESTED

RE: VPDES Permit No. VA0054291 Reissuance

Dear Ms. Milstid:

Your VPDES permit is enclosed. This permit supersedes the previous VPDES Permit VA0054291 issued to this facility. A Discharge Monitoring Report (DMR) form is included with the permit. Please make additional copies of the DMR for future use. The first DMR required by this permit for monthly monitored parameters is due on October 10, 2009 for the period September 1, 2009 through September 30, 2009. If you still have DMR data to report as required by the previous permit please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same number of significant digits as are included in the permit limit for the parameter. Please send DMRs to:

Virginia Department of Environmental Quality
Piedmont Regional Office
4949-A Cox Road
Glen Allen, VA 23060

Note that DEQ has launched an e-DMR program that allows you to submit the effluent data electronically. If you are interested in participating in this program please visit the following website for details:

<http://www.deq.virginia.gov/water/edmrfaq.html>

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Alternatively, any owner under §§ 62.1 - 44.16, 62.1 - 44.17, and 62.1 - 44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9 VAC 25-230-130B of Procedural Rule #1. In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please call Jeremy Kazio at (804) 527-5044 or email Jeremy.Kazio@deq.virginia.gov.

Sincerely,



Curtis J. Linderman, P.E.
Water Permit Manager

Enclosure: Permit No. VA0054291

cc: OWPCA
EPA, Region III-3WP12